




	AMERICAN MEMORY LIBRARY of CONGRESS
About the SGM	L version
	that can be viewed directly through your web browser, this document is also available encoded in Standard Generalized L) according to the <u>American Memory DTD</u> .
No current SGML viewe any ASCII text editor.	r is available for download, but an older, free SGML viewer is available, or the .sgm file can be downloaded and viewed with
if you already have an	SGML viewer, continue on to the <u>SGML version of the document</u> (1 megabytes).
Back to <u>previous page</u>	<pre>clockype teiz public "-//Library of Congress = Historical Collections (American Memory)//DTD ammen.dtd//EN {lontty k images system '28043.ent'&gt; %images;]&gt; <teli2> <teli2> <teli2> <teli2> <teli2> <tilotents' <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filideec> <filidee< th=""></filidee<></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></filideec></tilotents' </teli2></teli2></teli2></teli2></teli2></pre>








	wing record 121 of 5126 <u>Next record</u> → <b>Cite this</b> al report to Congress / National Transportation Safe	xport to Endnote
2		ly board.
New Title:	Annual report	
Corporate Author:	United States.	
Language(s):	English	
Published:	[Washington, D.C.] : National Transportation Safety Board : [1967-1984]	
Subjects:	United States, > National Transportation Safety Board > Periodicals, Transportation > Safety > Periodicals, Transportation > United States > Safety measures > Periodicals,	About this Book
Note:	Vols. for [1984] distributed to depository libraries in microfiche.	Annual report to Congress /
Physical Description:	17 v. : ill. ; 24-28 cm.	National Transportation 1983.
Locate a Print Version:	Find in a library	National mansportation 1965.
Viewability:		View full catalog record
E Full view 1983	(original from Northwestern University)	Copyright: Public Domain, Google-
E Full view 1970	(original from University of Michigan)	digitized.
E Full view 1968	(original from University of Michigan)	
E Full view 1978-8		
E Full view v.2-11		Get this Book
E Full view 1967	(original from Northwestern University)	Get this book
Full view 1979 Full view 1980	(original from Northwestern University) (original from Northwestern University)	
Full view 1982	(original from Northwestern University)	Find in a library
	(original non north and and on or or original	Download this page (PDF)
		Download whole book (PDF)
		Dominudu miloie Doun (PDF)


		GPO F	Dsys	
	ERNMENT PRINTI		alinformed	
tate Customers Vendure Libre		Contraction of the second s		
Days:	FORUL & Browne By Consultant & Calibration 1			
PO's Federal Digital System	Search Government Publications	Advanced liserth		
About FDeys Search Government Publications		BEARCH Test		
Browse Government Publications FOrge Tuttiniels				
Actions	66 STAT. 9 - JOINT RESOLUTIO	N DESIGNATING SEPTEMBER 17 OF EACH YEAR AS "CIT	IZENSHIP DAY	
Browse the United Diales Dialutes at Large	Download Files			
More Information about United States	Formata	POP (389 KD)		
Statutes at Large View in Catalog of U.S. Government	Descriptive Metadata	MODE		
Publications Find at a local Federal depository library	Authenticity Metadeta	PROMIS		
Purchase your own copy	All Format & Metadata Files	ZP In		
Ernal a link to this page	Metadata			
Vew Related Publications Congressional Dila	Category	Diffs and Statutes		
History of Bills	Collection	United States Statutes at Large		
Public and Private Laws U.S. Code	SuDoc Class Number	AE2.111:		
U.S. LOW	Publisher	U.S. Government Printing Office		
	Congress	62nd Congress, 2nd Session, 1952		
	Dates in Session	Begun on Tuesday, January 8, 1952 adjourned sine de on Monde	w. July 7, 1952	
	Volume	Volume BE		
	Otation	40 Dat. 9		
	Pages	8-10		
	Law Number	Public Law 82-251		
	Date Approved	February 29, 1952		
	Full Title	Joint resolution designating September 17 of each year as ""Olio	anahip Day"	
	Associated Bill Number	H.J. Pass. 214		
	Document in Context			
	View Entire Statutes at Large Volum	•	POF LMare	
	Vol. 66 - 82nd Congress, 2nd Bession,	1952		
	Part 1		5.450 TO (	
	Proclamations	i Laws, List of Reingenization Plans, List of Private Laws, List of Consume	POF 1 Mars t Revolutions, and List of	
	Public Laws			
	security, and for other purpose		POF Litters	
		suspenit certain import duties on lead.	PDF I More	15
		provide for the temporary hee importation of zinc	POF 1 Mare	10
	Public Law \$2 258 - An Art aut Arts - for antiheritrat laborati	Provizing the acquisition by the Secretary of the Interior of the Gila Pueble, in my and altitude purposes, and for other purposes.	Gile County, POF I Mare	

	GPO FDsys	
G	Document in Context	
Home	View Entire Statutes at Large Volume	PDF I More
FDay GPO Acc	Vol. 66 - 82nd Congress, 2nd Session, 1952:	
Sea Bro FON	Part 1	
2 23 28 28 2 2 2 3	Front Matter (Cover & Lists) Table of Contents, List of Public Laws, List of Reorganization Plans, List of Private Laws, List of Concurrent Resolutions, a Proclamations	PDF I More and List of
Ve to	Public Laws	
	Public Law 82-256 - An Act to provide for the withholding of certain patents that might be detrimental to the national security, and for other purposes	PDF I More
	Public Law 82-257 - An Act to suspend certain import duties on lead	PDF I More
-	Public Law 82-258 - An Act to provide for the temporary free importation of zinc	PDF I More
	Public Law 82-259 - An Act authorizing the acquisition by the Secretary of the Interior of the Gila Pueblo, in Gila County, Ariz., for archeological laboratory and storage purposes, and for other purposes	PDF I More
	Public Law 82-260 - An Act to require the taking and destruction of dangerous weapons in certain cases, and for other purposes	PDF I More
	Public Law 82-261 - Joint resolution designating September 17 of each year as ""Citizenship Day""	PDF I More
	Public Law 82-262 - An Act to extend to screen vehicle contractors benefits accorded star route contractors with respect to the renewal of contracts and adjustment of contract pay	PDF I More
	Public Law 82-263 - An Act to amend the act relating to the incorporation of Trinity College of Washington, D. C., in order to make the Archbishop of the Roman Catholic Archdiocese of Washington an ex officio member and chairman of the board of trustees of such college	PDF I More
	Product and BIDP - And AND 11 equipped names fragment expendition on their Proof Laws P	16

		ESIGNATING SEPTEMBER 17 OF EACH YEAR AS "CITIZENSHIP	DAY"
G Doc Home Vie	ument in Context w Entire Statutes at Large Volume	OF DTEMBER 17 OF EACH YEAR AS	e
FDsy GPO Abo Sea Bro	66 - 82nd Congress, 2nd C	ESIGNATING SEPTEMENT	
	Noad Files mats scriptive Metadata uthenticity Metadata NI Format & Metadata Files	MODS PREMIS ZIP file	
M	etadata Collection SuDoc Class Number Publisher Congress Dates in Session	Bills and Statutes United States Statutes at Large AE 2.111: U.S. Government Printing Office 82nd Congress, 2nd Session, 1952 Begun on Tuesday, January 8, 1952 adjourned sine die on Monday Volume 66 weeds of Washington of Trinity College of Washington, D. C., in order	DF I More
	Public Law 82 258 - An Act to suspend cent Public Law 82 258 - An Act to provide for the Public Law 83 258 - An Act to provide for the Public Law 83 258 - An Act authorizing the s Ariz , for antheetingent laboratory and entry	temporary free importation of zinc POF I More expension in the Second second free Gas Puelles in Gas Caurty.	17


			Documents <pkis tificate issued by</pkis 	VeriSign CA for A	dobe CDS.		Signature Panel
ì	Pages	•	law-enforcing a property respon "(g) The pro- action performe-	gency, and the agency sibility and records of t perty clerk shall not I in good faith under this bruary 20, 1952.	be liable in damages for any section."	Nonliabil	ity.
			Public Law 261		CHAPTER 49		
	Restrict Solicities Solicities		Designatir	JOINT RESOLUT g September 17 of each y		February 2 [H. J. Res	9, 1952
			States of Ameri tember of each	ca in Congress assembl	Representatives of the United ed, That the 17th day of Sep- tted as "Citizenship Day" in gning, on September 17, 1787, and in recognition of all who,	Designat "Cltfse Day".	ion of mahip
	1		by coming of a citizenship, and ized to issue an Government to d buildings on suc	ge or by naturalization the President of the U nually a proclamation isplay the flag of the Un h day, and inviting the	a have attained the status of nited States is hereby author- calling upon officials of the ited States on all Government people of the United States to	Proclama	tion.
	2		appropriate cere That the civil and towns be, an	monies. and educational author d they are hereby, urge	or other suitable places, with ities of States, counties, cities, I to make plans for the proper instruction of citizens in their	Observan	cs.
			CPO				
			10	P	UBLIC LAW 262-FEB. 29, 195	2	[66 STAT.
				of the States and lo Nothing herein change, the time or observances of sim	opportunities as citizens of th califies in which they reside. shall be construed as changing mode of any of the many alto ilar nature now being held fro o the contrary, such practices	z, or atte ther com	empting to nmendable to time, or








## **Typical Production**


- Initial stage
   Cataloging
  - Scanning to produce images
- Second stage - OCR the images to produce text
- Third stage
  - Process the text to added markup, other prep
  - Create some additional output versions (PDF, eBook, hard copy)
- Fourth stage
  - Load elements, index data, etc.
  - Create some additional output versions






















- Something of a line-drawing exercise
- Purpose, goal
  - If the term *preservation* is used, the stakes are higher
- Category of original item
  - If materials are rare, or only held in a few libraries, the stakes are higher
  - If materials contain important illustration or diagrams (and in color), the stakes are higher





## Rough Rule of Thumb


- 4-star
  - Artwork, world and national treasures, etc.
- 3-star
  - Unique manuscript and archival documents
- 2-star
  - General collections (not unique) and printed publications
- 1-star
  - Text conversion, image quality not important
























## File Format

- TIFF file wrapper
- RGB 24-bit color or grayscale
- LC produces uncompressed images
- Other organizations use lossless LZW compression
- However, file size is leading us to consider JPEG 2000
- JPEG 2000 can be used in lossless or lossy modes









Still image specifications – this is what we all "used to do"


- color/monochromatic
- pixels per inch (ppi; aka old "dpi")
- bit depth
- . . . usually output-referred

We want to move toward more scientific metrics

<u>Tone</u>	Resolution	<u>Color</u>	<u>Uniformity</u>	<u>Noise</u>
• Gamma • White Balance	<ul> <li>Spatial Frequency Response (SFR)</li> <li>Resolution</li> <li>Sampling Efficiency</li> <li>Sampling Frequency</li> </ul>	<ul> <li>Luminance</li> <li>Delta E<sub>2000</sub></li> <li>Delta E(a*b*)<sub>2000</sub></li> <li>Channel Mis-registration</li> </ul>	• % Lighting Non-uniformity	• Total rms deviation









- Knowing the Spatial Frequency Response (SFR) lets you compare the scanner's setting (sampling frequency) with what you get (in true optical terms).
- FADGI documents call what you get EFFECTIVE RESOLUTION.
- The comparison of scanner setting and effective resolution is what we call *SAMPLING EFFICIENCY*.

ing	Fff	cier	NOV	and	Co	rrec	non	dine	<b>T</b>		
ing.	Em	CICI	ley	anu	CU.	nes	pon	ung	B		
in I	Daa	-1-+							Cere:		
Ive r	resi	Jun	IOII								
1		Scanne	Sampli	- Efficier	and and G	recoond	ling Effect	tue Resolu	ution		
100%	96%									65%	60
						Contraction of the last		a second in			300
											150
											72
800	768	760		720	680	648	640	600	560	520	48
											36
400	384	380	364	360	340	324	320	300	280	260	24
300	288	285		270		243				200	18
200	192	190	182	180	170	162	160	150	140	130	12
100	96	95	91	90	85	81	85	75	70	65	e
	108%	111%	121%	123%	138%	152%	156%	178%	204%	237%	278
times and the second seco			3-star (> 90% and up to 95%)		2-star (> 80% and up to 90%)			1-star (80% or less)			
	100% 5000 2500 1200 800 600 400 300 200 100	100% 96% 5000 4800 2500 2400 1200 1152 800 768 600 576 400 384 300 288 200 192 100 96 108%	Scanne           100%         96%         95%           5000         4800         4750           2500         2400         2375           1200         1152         1140           800         768         760           600         576         570           400         384         380           300         288         285           200         192         190           100         96         95           108%         111%         111%	Scanner Samplir           100%         96%         95%         91%           5000         4800         4750         4550           2500         2400         2375         2275           1200         1152         1140         1092           800         768         760         728           600         576         570         546           400         384         380         364           300         288         285         273           200         192         190         182           100         96         95         91           108%         111%         121%	Scenner Sempling Efficien           Scenner Sempling Efficien           100%         96%         95%         91%         90%           5000         4800         4750         4550         4500           2500         2400         2375         2275         2250           1200         1152         1140         1092         1080           800         768         760         728         720           600         576         570         546         540           400         384         380         364         360           300         288         285         273         270           200         192         190         182         180           100         96         95         91         90           108%         111%         121%         123%	Scenner Sampling Efficiency and Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2"Colspan=">	Scanner Sampling Efficiency and Correspond           Scanner Sampling Efficiency and Correspond           100%         96%         95%         91%         90%         85%         81%           5000         4800         4750         4550         4500         4250         4050           2500         2400         2375         2275         2250         2125         2025           1200         1152         1140         1092         1080         1020         972           800         768         760         728         720         680         648           600         576         570         546         540         510         486           400         384         380         364         360         324           300         288         285         273         270         255         243           200         192         190         182         180         170         162           100         96         95         91         90         85         81           108%         111%         121%         123%         138%         152%	V         V           Scanner Sempling Efficiency and Corresponding Effect           100%         96%         95%         91%         90%         85%         81%         80%           5000         4800         4750         4550         4500         4250         4050         4000           2500         2400         2375         2275         2250         2125         2025         2000           1200         1152         1140         1092         1080         1020         972         960           800         768         760         728         720         680         648         640           600         576         570         546         540         510         486         480           4000         384         380         364         360         324         320           300         288         285         273         270         255         243         240           200         192         190         182         180         170         162         160           100         96         95         91         90         85         81         85 </td <td>Scanner Sampling Efficiency and Corresponding Effective Resol           100%         95%         91%         90%         85%         81%         80%         75%           5000         4800         4750         4550         4500         4250         4050         4000         3750           2500         2400         237         2275         2250         2125         2005         2000         1875           1200         1152         1140         1092         1080         1020         972         960         900           800         768         760         728         720         680         648         640         600           600         576         570         546         540         510         486         480         450           400         384         380         364         360         340         324         320         300           300         288         285         273         270         255         243         240         225           200         192         190         182         180         170         162         160         150           100         96         &lt;</td> <td>Scanner Sampling Efficiency and Corresponding Effective Resolution           100%         95%         91%         90%         85%         81%         80%         75%         70%           5000         4800         4750         4550         4500         4250         4050         4000         3750         3500           2500         2400         2375         2275         2250         2125         2025         2000         1875         1750           1200         1152         1140         1092         1080         1020         972         960         900         840           800         768         760         728         720         680         648         640         600         560           600         576         570         546         540         510         486         480         420           400         384         380         364         360         340         324         320         300         280           300         288         285         273         270         255         243         240         225         210           100         96         95         91         90</td> <td>Scanner Sampling Efficiency and Corresponding Effective Resolution           100%         96%         95%         91%         90%         85%         81%         80%         75%         70%         65%           5000         4800         4750         4550         4500         4250         4000         3750         3500         3250           2500         2400         2375         2275         2215         2020         1875         1750         1625           1200         1152         1140         1092         1080         1020         972         960         900         840         780           800         768         760         728         720         680         648         640         600         560         520           600         576         570         546         540         510         486         480         450         420         390           400         384         380         364         360         340         324         320         300         288         285         273         270         255         243         240         225         210         195           200         192</td>	Scanner Sampling Efficiency and Corresponding Effective Resol           100%         95%         91%         90%         85%         81%         80%         75%           5000         4800         4750         4550         4500         4250         4050         4000         3750           2500         2400         237         2275         2250         2125         2005         2000         1875           1200         1152         1140         1092         1080         1020         972         960         900           800         768         760         728         720         680         648         640         600           600         576         570         546         540         510         486         480         450           400         384         380         364         360         340         324         320         300           300         288         285         273         270         255         243         240         225           200         192         190         182         180         170         162         160         150           100         96         <	Scanner Sampling Efficiency and Corresponding Effective Resolution           100%         95%         91%         90%         85%         81%         80%         75%         70%           5000         4800         4750         4550         4500         4250         4050         4000         3750         3500           2500         2400         2375         2275         2250         2125         2025         2000         1875         1750           1200         1152         1140         1092         1080         1020         972         960         900         840           800         768         760         728         720         680         648         640         600         560           600         576         570         546         540         510         486         480         420           400         384         380         364         360         340         324         320         300         280           300         288         285         273         270         255         243         240         225         210           100         96         95         91         90	Scanner Sampling Efficiency and Corresponding Effective Resolution           100%         96%         95%         91%         90%         85%         81%         80%         75%         70%         65%           5000         4800         4750         4550         4500         4250         4000         3750         3500         3250           2500         2400         2375         2275         2215         2020         1875         1750         1625           1200         1152         1140         1092         1080         1020         972         960         900         840         780           800         768         760         728         720         680         648         640         600         560         520           600         576         570         546         540         510         486         480         450         420         390           400         384         380         364         360         340         324         320         300         288         285         273         270         255         243         240         225         210         195           200         192

Effecti		1050										
Desired Spatial Resolution	100%	96%	Scanne 95%	er Samplin 91%	ng Efficien 90%	icy and Co 85%	orrespond 81%	ing Effect 80%	ive Resol 75%	ution 70%	65%	60%
5000 ppi	5000	4800	4750	4550	4500	4250	4050	4000	3750	3500	3250	3000
2500 ppi	2500	2400	2375	2275	2250	2125	2025	2000	1875	1750	1625	1500
1200 ppi	1200	1152	1140	1092	1080	1020	972	960	900	840	780	720
800 ppi	800	768	760	728	720	680	648	640	600	560	520	480
600 ngi	600	576	570	546	540	510	486	480	450	420	390	360
400 ppi	400	384	380	364	360	340	324	320	300	280	260	240
SUU ppi	300	288	285	273	270	255	243	240	225	210	195	180
200 ppi	200	192	190	182	180	170	162	160	150	140	130	120
100 ppi	100	96	95	91	90	85	81	85	75	70	65	60
Spurious Resolution and Storage Overhead*		108%	111%	121%	123%	138%	152%	156%	178%	204%	237%	278%
Imaging Performance Level**	4-star ( and up to		3-star (> 90% 2-star (> 80% and up to and up to 95%) 90%)				l up to	1-star (80% or less)				

112				and	( )	moon	non	din	~		
0	LIII	cier	icy	and	CO.	rres	pon	amg	B		
I I	2000	1+									
ver	resc	nuu	IOII								
		Seamo	sr Samalir	a Efficien	en and G	rrecoord	ing Effect	iun Peral	ution		
100%	96%									65%	60%
						Contraction of the local sector of the local s		a second in			3000
						0.000	2000				150
1200	1152	1140	1092	1080	1020	972	960	900	840	780	72
800	768	760	728	720	680	648	640	600	560	520	48
600	576	570	546				480		420		36
400	384	380	364	360	340	324	320	300	280	260	24
300	288	285	273	270	255	243	240	225	210	195	18
200	192	190	182	180	170	162	160	150	140	130	12
100	96	95	91	90	85	81	85	75	70	65	6
	108%	111%	121%	123%	138%	152%	156%	178%	204%	237%	2789
-				20126						10000	
4	0504	2	. 0.00/	2	0.00/						
4-star (	1-star (> 95% 3-star (> 90%			2-star (> 80% and up to 90%)			1-star (80% or less)				
	100% 5000 2500 1200 800 500 400 300 200 100	100%         96%           5000         4800           2500         2400           1200         1152           800         768           600         576           400         384           300         288           200         192	Scanne           100%         96%         95%           5000         4800         4750           2500         2400         2375           1200         1152         1140           800         768         760           500         288         285           200         192         190           100         96         95           108%         111%	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Scanner Sampling Efficien           100%         96%         95%         91%         90%           5000         4800         4750         4550         4500           2500         2400         2375         2275         2250           1200         1152         1140         1092         1080           800         768         760         728         720           600         526         570         546         540           400         384         380         364         360           300         288         285         273         270           200         192         190         182         180           100         96         95         91         90           108%         111%         121%         123%	Scenner Sampling Efficiency and Co           100%         95%         91%         90%         85%           5000         4800         4750         4550         4500         4250           2500         2400         2375         2275         2250         2125           1200         1152         1140         1092         1080         1020           800         768         760         728         720         680           600         526         570         546         540         510           400         384         380         364         360         340           300         288         285         273         270         255           200         192         190         182         180         170           100         96         95         91         90         85           108%         111%         121%         123%         138%	Scanner Sampling Efficiency and Correspond           100%         95%         91%         90%         85%         81%           5000         4800         4750         4550         4500         4250         4050           2500         2400         2375         2275         2250         2125         2025           1200         1152         1140         1092         1080         1020         972           800         768         760         728         720         680         648           600         526         570         546         540         510         486           400         384         380         364         360         340         324           200         192         190         182         180         170         162           100         96         95         91         90         85         81           108%         111%         121%         123%         138%         152%	Scanner Sampling Efficiency and Corresponding Effect           100%         95%         91%         90%         85%         81%         80%           5000         4800         4750         4550         4500         4250         4050         4000           2500         2400         2375         2275         2250         2125         2025         2000           1200         1152         1140         1092         1080         1020         972         960           800         768         760         728         720         680         648         640           600         526         570         546         540         510         486         480           400         384         380         364         360         340         324         320           300         288         285         273         270         255         243         240           100         96         95         91         90         85         81         85           100%         111%         121%         123%         138%         152%         156%	Scanner Sampling Efficiency and Corresponding Effective Resol           100%         95%         91%         90%         85%         81%         80%         75%           5000         4800         4750         4550         4500         4250         4050         4000         3750           2500         2400         2375         2275         2250         2125         2025         2000         1875           1200         1152         1140         1092         1080         1020         972         960         900           800         768         760         728         720         680         648         640         600           600         575         570         546         540         510         486         480         450           400         384         380         364         360         340         324         320         300           300         288         285         273         270         255         243         240         225           200         192         190         182         180         170         162         160         150           100         96	Scanner Sampling Efficiency and Corresponding Effective Resolution           100%         96%         91%         90%         85%         81%         80%         75%         70%           5000         4800         4750         4550         4500         4250         4050         4000         3750         3500           2500         2400         2375         2275         2250         2125         2025         2000         1875         1750           1200         1152         1140         1092         1080         1020         972         960         900         840           800         768         760         728         720         680         648         640         600         560           600         570         546         540         510         486         480         450         420           400         384         380         364         360         340         324         320         300         280           300         288         285         273         270         255         243         240         225         210           100         96         95         91         90	Scanner Sampling Efficiency and Corresponding Effective Resolution           100%         96%         91%         90%         85%         81%         80%         75%         70%         65%           5000         4800         4750         4550         4500         4250         4050         4000         3750         3500         3250           2500         2400         2375         2275         2250         2125         2025         2000         1875         1750         1625           1200         1152         1140         1092         1080         1020         972         960         900         840         780           800         768         760         728         720         680         648         640         600         560         520           600         570         546         540         510         486         480         450         420         390           400         384         380         364         360         340         324         320         300         280         260           300         288         285         273         270         255         243         240         225

Effecti	ve I	Res	oluti	ion								
Desired Spatial			Scanne	r Samplin	ng Efficien	ere and Co	rrespond	ing Effect	ive Resol	ution		
Resolution	100%	96%	95%	91%	90%	85%	81%	80%	75%	70%	65%	60%
5000 ppi	5000	4800	4750	4550	4500	4250	4050	4000	3750	3500	3250	3000
2500 ppi	2500	2400	2375	2275	2250	2125	2025	2000	1875	1750	1625	1500
1200 ppi	1200	1152	1140	1092	1080	1020	972	960	900	840	780	720
800 ppi	800	768	760	728	720	680	648	640	600	560	520	480
600 naj	600	576	570	546	540	510	486	480	450	420	390	360
400 ppi	400	384	380	364	360	340	324	320	300	280	260	240
sou ppi	300	288	285	273	270	255	243	240	225	210	195	180
200 ppi	200	192	190	182	180	170	162	160	150	140	130	120
100 ppi	100	96	95	91	90	85	81	85	75	70	65	60
Spurious Resolution and Storage Overhead*		108%	111%	121%	123%	138%	152%	156%	178%	204%	237%	278%
Imaging Performance Level**	4-star (: and up to		3-star ( and up t		2-star (>	> 80% and 90%)	l up to		1-sta	r (80% or l	ess)	

